


Change the Game



Catalogue



Welcome to the heart of the Swiss microtech valley.

For nearly a century, we have been constantly re-inventing and challenging what we thought we knew.

We strive to create innovations for new ways of working: more respectful, more efficient, more agile, more ergonomic, and safer—serving new generations, promoting new visions of life, for us, for you, and for patients.

We embrace change that empowers endo.

Change the Game

Enter our game-
changing universe



Innovation

Engagement

Responsibility

Table of contents

A Equipment	4-7
01 Motor and apex locator	4
Router X4000	5
Router X3000	6
Router Universal	7
B Files	8-17
01 Opening	8
Gates & XS Gates	9
Peeso	9
RACE EVO	9
PreRace	9
02 Glide path	10
XP-4D	11
XP-endo Rise	11
R-Motion	11
RACE EVO	11
Race	11
03 Shaping	12
XP-4D	13
XP-endo Rise	13
R-Motion	13
RACE EVO	14
04 Retreatment	16
XP-endo Rise	17
D-Race	17
C Hand Files	18-23
01 Hand Files	18
K-Files	19
K-Files Flex	20
H-Files	21
Reamers	22
F-Search	23
Barbed Broaches	23
D Cleaning	24-25
01 Irrigation	24
Finisher	25
Dual Rinse HEDP	25
E Obturation	26-31
01 Bioceramic obturation	26
TotalFill	27
BC Universal	28
02 Paper Points & Gutta Percha	29
XP-4D Absorbent Paper Point & Bio Gutta-Percha Cones	29
03 Paste fillers	30
Lentulo & Spring Paste Fillers	30
Sensipast	30
04 Finger Spreaders & Pluggers	31
F Accessories	32-33
G Restoration	34-35
H Legend	36



A. Equipment

01
Motor and apex locator



Rooter® X4000



Name	Ref.
Rooter X4000	08.972.00.000.FK
Rooter X4000 - Motor handpiece	08.972.00.001.FK
Rooter X4000 - Charging base	08.972.00.002.FK
Rooter X4000 - Contra-angle	08.972.00.003.FK
Rooter X4000 - Spray Nozzle	08.972.00.004.FK
Rooter X4000 - Measuring wire	08.972.00.005.FK
Rooter X4000 - File clip	08.972.00.006.FK
Rooter X4000 - Lip hook	08.972.00.007.FK
Rooter X4000 - Touch probe	08.972.00.008.FK
Rooter X4000 - Protective silicone cover	08.972.00.009.FK
Rooter X4000 - Main unit	08.972.00.010.FK
Rooter X4000 - Disposable isolation sleeve	08.972.00.011.FK
Rooter X4000 - Demo version	08.972.00.012.FK
Rooter X4000 - Lithium Battery main unit	08.972.00.013.FK
Rooter X4000 - Tester	08.972.00.014.FK
Rooter X4000 - Power adapter	08.972.00.015.FK



Rooter® X3000



Name	Ref.
Rooter X3000	08.971.00.000.FK
Rooter X3000 - Motor Handpiece	08.971.00.001.FK
Rooter X3000 - Charging Base	08.971.00.002.FK
Rooter X3000 - Contra-angle	08.971.00.003.FK
Rooter X3000 - Spray Nozzle	08.971.00.004.FK
Rooter X3000 - Measuring Wire - Mini USB	08.971.00.005.FK
Rooter X3000 - File Clip	08.971.00.006.FK
Rooter X3000 - Lip Hook	08.971.00.007.FK
Rooter X3000 - Touch Probe	08.971.00.008.FK
Rooter X3000 - Protective Cover	08.971.00.009.FK
Rooter X3000 - O-ring	08.971.00.010.FK
Rooter X3000 - AC-Adapter	08.971.00.011.FK
Rooter X3000 - Demo Version	08.971.00.012.FK
Rooter X3000 - Lithium-ion Battery	08.971.00.013.FK
Rooter X3000 - Measuring Wire - USB-C	08.971.00.014.FK



Rooter® Universal




Name	Ref.
Rooter Universal	08.970.00.000.FK
Rooter Universal - Motor Handpiece	08.970.00.001.FK
Rooter Universal - Battery Charger	08.970.00.002.FK
Rooter Universal - AC-Adapter	08.970.00.003.FK
Rooter Universal - Tester	08.970.00.004.FK
Rooter Universal - Test Wire A	08.970.00.005.FK
Rooter Universal - Test Wire B	08.970.00.006.FK
Rooter Universal - File Clip	08.970.00.007.FK
Rooter Universal - Lip Hook	08.970.00.008.FK
Rooter Universal - Lighting Device	08.970.00.009.FK
Rooter Universal - Protective Sleeve	08.970.00.010.FK
Rooter Universal - Contra-angle	08.970.00.011.FK
Rooter Universal - Wrench (Contra-angle tool)	08.970.00.012.FK
Rooter Universal - Spray Nozzle	08.970.00.013.FK
Rooter Universal - AC-Adapter AU/NZ	08.970.00.014.FK
Rooter Universal - AC-Adapter UK	08.970.00.015.FK
Rooter Universal - Dust Cap	08.970.00.016.FK
Rooter Universal - Silicone Plug	08.970.00.017.FK
Rooter Universal - Demo Version	08.970.00.018.FK
Rooter Universal - Lithium-ion Battery	08.970.00.019.FK




B. Files

01
Opening




Gates & XS Gates



Length (mm)	ISO	Name	Plastic Box 6 pcs	Assortment 6 pcs
15	50	XS Gates 1	03.140.10.601.GC	XS Gates 1-6 03.140.10.S16.GC
	70	XS Gates 2	03.140.10.602.GC	
	90	XS Gates 3	03.140.10.603.GC	
	110	XS Gates 4	03.140.10.604.GC	
	130	XS Gates 5	03.140.10.605.GC	
	150	XS Gates 6	03.140.10.606.GC	
19	50	Gates 1	03.140.19.601.GC	Gates 1-6 03.140.19.S16.GC
	70	Gates 2	03.140.19.602.GC	
	90	Gates 3	03.140.19.603.GC	
	110	Gates 4	03.140.19.604.GC	
	130	Gates 5	03.140.19.605.GC	
	150	Gates 6	03.140.19.606.GC	




Peeso



Length (mm)	ISO	Name	Plastic Box 6 pcs	Assortment 6 pcs
19	70	Peeso 1	03.132.19.601.GC	Peeso 1-6 03.132.19.S16.GC
	90	Peeso 2	03.132.19.602.GC	
	110	Peeso 3	03.132.19.603.GC	
	130	Peeso 4	03.132.19.604.GC	
	150	Peeso 5	03.132.19.605.GC	
	170	Peeso 6	03.132.19.606.GC	




RACE® EVO



Length (mm)	ISO	Taper	Blister 6 pcs
19	25	0.08	S1.7B0.00.0GL.FK



PreRace




Length (mm)	ISO	Taper	Blister 6 pcs
19	30	0.06	S1.7B0.00.0DD.FK
	35	0.08	S1.7B0.00.0DA.FK
	40	0.10	S1.7B0.00.0DF.FK



B. Files

02
Glide path



XP-4D® STARTER



⌚

NITI

STERILE

R

Length (mm)	ISO	Taper	Blister 3 pcs	Blister 6 pcs
21	20	0.03v	S1.XB0.00.0BD.FK	S1.XB0.00.0BP.FK
25			S1.XB0.00.0BH.FK	S1.XB0.00.0BT.FK
31			S1.XB0.00.0BL.FK	S1.XB0.00.0BX.FK



XP-endo® Rise Glider



⌚

NITI

STERILE

R

Length (mm)	ISO	Taper	Blister 6 pcs
21	15 O	0.04	S1.7B0.00.0HN.FK
25			S1.7B0.00.0HO.FK
31			S1.7B0.00.0HP.FK



R-Motion®

R-Motion®





NITI

STERILE

R

Length (mm)	ISO	Taper	Name	Blister 3 pcs		
21	15 O	0.03v	R-Motion Glider	S1.7B0.00.0GN.FK		
			R-Motion Glider C	S1.7B0.00.0HT.FK		
25			R-Motion Glider	S1.7B0.00.0GN.FK		
			R-Motion Glider C	S1.7B0.00.0HU.FK		
31			R-Motion Glider	S1.7B0.00.0GO.FK		
			R-Motion Glider C	S1.7B0.00.0HV.FK		



RACE® EVO



⌚

NITI

STERILE

R

Length (mm)	ISO	Taper	Blister 6 pcs
21	10	0.02	S1.7B0.00.0GV.FK
	15 O		S1.7B0.00.0GX.FK
	20		S1.7B0.00.0GZ.FK
	10	0.04	S1.7B0.00.0HD.FK
	15 O		S1.7B0.00.0DG.FK
	15 O		S1.7B0.00.0HJ.FK
25	10	0.02	S1.7B0.00.0FU.FK
	15 O		S1.7B0.00.0FV.FK
	20		S1.7B0.00.0FW.FK
	10	0.04	S1.7B0.00.0FY.FK
	15 O		S1.7B0.00.0FZ.FK
	15 O		S1.7B0.00.0GG.FK
31	10	0.02	S1.7B0.00.0GW.FK
	15 O		S1.7B0.00.0GY.FK
	20		S1.7B0.00.0HA.FK
	10	0.04	S1.7B0.00.0HE.FK
	15 O		S1.7B0.00.0DH.FK
	15 O		S1.7B0.00.0HK.FK



Race



⌚

NITI

STERILE


R

Length (mm)	ISO	Taper	Blister 6 pcs
21	10	0.02	S1.7B0.00.0AA.FK
	15 O		S1.7B0.00.0AB.FK
	20	0.04	S1.7B0.00.0AC.FK
	10		S1.7B0.00.0BH.FK
25	10	0.02	S1.7B0.00.0AL.FK
	15 O		S1.7B0.00.0AM.FK
	20	0.04	S1.7B0.00.0AN.FK
	10		S1.7B0.00.0BP.FK
31	10	0.02	S1.7B0.00.0AW.FK
	15 O		S1.7B0.00.0AX.FK
	20	0.04	S1.7B0.00.0AY.FK
	10		S1.7B0.00.0BX.FK




B. Files

03
Shaping



XP-4D®



Length (mm)	ISO	Taper	Name	Blister 3 pcs	Blister 6 pcs	Sequences 6pcs
21 	20 	0.03v	XP-4D STARTER	S1.XB0.00.0BD.FK	S1.XB0.00.0BP.FK	3 × (XP-4D STARTER + STANDARD) S1.XB0.00.SAR.FK
	30 		XP-4D STANDARD	S1.XB0.00.0BE.FK	S1.XB0.00.0BQ.FK	
	40 		XP-4D MEDIUM	S1.XB0.00.0BF.FK	S1.XB0.00.0BR.FK	-
	50 		XP-4D LARGE	S1.XB0.00.0BG.FK	S1.XB0.00.0BS.FK	-
25 	20 	0.03v	XP-4D STARTER	S1.XB0.00.0BH.FK	S1.XB0.00.0BT.FK	3 × (XP-4D STARTER + STANDARD) S1.XB0.00.SAS.FK
	30 		XP-4D STANDARD	S1.XB0.00.0BI.FK	S1.XB0.00.0BU.FK	
	40 		XP-4D MEDIUM	S1.XB0.00.0BJ.FK	S1.XB0.00.0BV.FK	-
	50 		XP-4D LARGE	S1.XB0.00.0BK.FK	S1.XB0.00.0BW.FK	-
31 	20 	0.03v	XP-4D STARTER	S1.XB0.00.0BL.FK	S1.XB0.00.0BX.FK	3 × (XP-4D STARTER + STANDARD) S1.XB0.00.SAT.FK
	30 		XP-4D STANDARD	S1.XB0.00.0BM.FK	S1.XB0.00.0BY.FK	
	40 		XP-4D MEDIUM	S1.XB0.00.0BN.FK	S1.XB0.00.0BZ.FK	-
	50 		XP-4D LARGE	S1.XB0.00.0BO.FK	S1.XB0.00.0CA.FK	-



XP-endo® Rise



Length (mm)	ISO	Taper	Name	Blister 3 pcs	Blister 6 pcs	Sequences 6pcs
21 	15 	0.04 	XP-endo Rise Glider	-	S1.7B0.00.0HN.FK	3 × (XP-RG + XP-RS) S1.XB0.00.SAI.FK
	30 		XP-endo Rise Shaper	S1.XB0.00.0AU.FK	S1.XB0.00.0AR.FK	
25 	15 	0.04 	XP-endo Rise Glider	-	S1.7B0.00.0HO.FK	3 × (XP-RG + XP-RS) S1.XB0.00.SAG.FK
	30 		XP-endo Rise Shaper	S1.XB0.00.0AV.FK	S1.XB0.00.0AS.FK	
31 	15 	0.04 	XP-endo Rise Glider	-	S1.7B0.00.0HP.FK	3 × (XP-RG + XP-RS) S1.XB0.00.SAJ.FK
	30 		XP-endo Rise Shaper	S1.XB0.00.0AW.FK	S1.XB0.00.0AT.FK	



R-Motion®



Length (mm)	ISO	Taper	Name	Blister 3 pcs
21	20 	0.04	R-Motion 20	S1.7B0.00.0HQ.FK
	25 	0.06	R-Motion 25	S1.7B0.00.0FR.FK
	30 	0.04	R-Motion 30	S1.7B0.00.0FI.FK
	40 		R-Motion 40	S1.7B0.00.0FJ.FK
	50 		R-Motion 50	S1.7B0.00.0FK.FK
25	20 	0.04	R-Motion 20	S1.7B0.00.0HR.FK
	25 	0.06	R-Motion 25	S1.7B0.00.0FS.FK
	30 	0.04	R-Motion 30	S1.7B0.00.0FL.FK
	40 		R-Motion 40	S1.7B0.00.0FM.FK
	50 		R-Motion 50	S1.7B0.00.0FN.FK
31	20 	0.04	R-Motion 20	S1.7B0.00.0HS.FK
	25 	0.06	R-Motion 25	S1.7B0.00.0FT.FK
	30 	0.04	R-Motion 30	S1.7B0.00.0FO.FK
	40 		R-Motion 40	S1.7B0.00.0FP.FK
	50 		R-Motion 50	S1.7B0.00.0FQ.FK



For specific R-Motion glide path files, see [page 11](#).



RACE® EVO 4%



Length (mm)	ISO	Taper	Name	Blister 6 pcs	Sequence 3 pcs
21	15	0.04	RE1	S1.7B0.00.0DG.FK	RE1 + RE2 + RE3 S1.7B0.00.SCV.FK
	25		RE2	S1.7B0.00.0DI.FK	
	30		RE3	S1.7B0.00.0DK.FK	
	40		-	S1.7B0.00.0DM.FK	-
	50		-	S1.7B0.00.0DO.FK	
25	15		RE1	S1.7B0.00.0FZ.FK	RE1 + RE2 + RE3 S1.7B0.00.SCW.FK
	25		RE2	S1.7B0.00.0GB.FK	
	30		RE3	S1.7B0.00.0GC.FK	
	40		-	S1.7B0.00.0GE.FK	-
	50		-	S1.7B0.00.0GF.FK	
31	15		RE1	S1.7B0.00.0DH.FK	RE1 + RE2 + RE3 S1.7B0.00.SCX.FK
	25		RE2	S1.7B0.00.0DJ.FK	
	30		RE3	S1.7B0.00.0DL.FK	
	40		-	S1.7B0.00.0DN.FK	-
	50		-	S1.7B0.00.0DP.FK	



RACE® EVO 6%



Length (mm)	ISO	Taper	Name	Blister 6 pcs	Sequence 3 pcs
21	15	0.04	RE1	S1.7B0.00.0DG.FK	RE1 + RE2 + RE3 S1.7B0.00.SCY.FK
	25	0.06	RE2	S1.7B0.00.0DI.FK	
	25		RE3	S1.7B0.00.0DQ.FK	
	30	0.06	-	S1.7B0.00.0DV.FK	-
	35		-	S1.7B0.00.0DX.FK	
25	15	0.04	RE1	S1.7B0.00.0FZ.FK	RE1 + RE2 + RE3 S1.7B0.00.SCZ.FK
	25	0.04	RE2	S1.7B0.00.0GB.FK	
	25		RE3	S1.7B0.00.0GH.FK	
	30	0.06	-	S1.7B0.00.0GI.FK	-
	35		-	S1.7B0.00.0GJ.FK	
31	15	0.04	RE1	S1.7B0.00.0DH.FK	RE1 + RE2 + RE3 S1.7B0.00.SDA.FK
	25	0.04	RE2	S1.7B0.00.0DJ.FK	
	25		RE3	S1.7B0.00.0DU.FK	
	30	0.06	-	S1.7B0.00.0DW.FK	-
	35		-	S1.7B0.00.0GU.FK	



RACE® EVO



Length (mm)	ISO	Taper	Blister 6 pcs
21	30	0.02	S1.7B0.00.0HB.FK
	20	0.04	S1.7B0.00.0HF.FK
	25		S1.7B0.00.0DI.FK
	30		S1.7B0.00.0DK.FK
	35		S1.7B0.00.0HH.FK
	40		S1.7B0.00.0DM.FK
	50	0.06	S1.7B0.00.0DO.FK
	25		S1.7B0.00.0DQ.FK
	30		S1.7B0.00.0DV.FK
	35		S1.7B0.00.0DX.FK
25	40	0.02	S1.7B0.00.0HL.FK
	30		S1.7B0.00.0FX.FK
	20		S1.7B0.00.0GA.FK
	25		S1.7B0.00.0GB.FK
	30		S1.7B0.00.0GC.FK
	35	0.04	S1.7B0.00.0GD.FK
	40		S1.7B0.00.0GE.FK
	50		S1.7B0.00.0GF.FK
	25		S1.7B0.00.0GH.FK
	30	0.06	S1.7B0.00.0GI.FK
31	35		S1.7B0.00.0GJ.FK
	40		S1.7B0.00.0GK.FK
	30	0.02	S1.7B0.00.0HC.FK
	20		S1.7B0.00.0HG.FK
	25		S1.7B0.00.0DJ.FK
	30		S1.7B0.00.0DL.FK
	35	0.04	S1.7B0.00.0HI.FK
	40		S1.7B0.00.0DN.FK
	50		S1.7B0.00.0DP.FK
	25		S1.7B0.00.0DU.FK
	30	0.06	S1.7B0.00.0DW.FK
	35		S1.7B0.00.0GU.FK
	40		S1.7B0.00.0HM.FK




For specific RACE EVO glide path files, see [page 11](#).




B. Files

04
Retreatment



XP-endo® Rise
Retreatment



NI Ti STERILE R

Length (mm)	ISO	Taper	Name	Sequence 3 pcs
21 	30 	0.10 	DR1	DR1 + XP-RS + Finisher R S1.XB0.00.SAK.FK
		0.04 	XP-endo Rise Shaper	
		0.00	Finisher R	
25 		0.10 	DR1	DR1 + XP-RS + Finisher R S1.XB0.00.SAH.FK
		0.04 	XP-endo Rise Shaper	
		0.00	Finisher R	
31 		0.10 	DR1	DR1 + XP-RS + Finisher R S1.XB0.00.SAL.FK
		0.04 	XP-endo Rise Shaper	
		0.00	Finisher R	



D-Race



NI Ti STERILE R

Length (mm)	ISO	Taper	Name	Blister 6 pcs	Sequences 4 pcs
15	30 	0.10 	DR1	S1.7B0.00.0FB.FK	2 x (DR1 + DR2) S1.7B0.00.SAI.FK
25	25 	0.04 	DR2	S1.7B0.00.0FA.FK	




C. Hand Files




01

K-Files, H-Files, Reamers,
F-Search, Barbed broaches




K-Files



Length (mm)	ISO	Taper	Blister 6 pcs	Assortment 6 pcs
21 	6 	0.02 	S1.1B4.00.0AA.FK	ISO 6-25 S1.1B4.00.SAJ.FK ISO 15-40 S1.1B4.00.SAA.FK ISO 45-80 S1.1B4.00.SAD.FK
	8 		S1.1B4.00.0AB.FK	
	10 		S1.1B4.00.0AC.FK	
	15 		S1.1B4.00.0AD.FK	
	20 		S1.1B4.00.0AE.FK	
	25 		S1.1B4.00.0AF.FK	
	30 		S1.1B4.00.0AG.FK	
	35 		S1.1B4.00.0AH.FK	
	40 		S1.1B4.00.0AI.FK	
	45 		-	
	50 		-	
	55 		-	
	60 		-	
	70 		-	
	80 		-	
25 	6 	0.02 	S1.1B4.00.0AJ.FK	ISO 6-25 S1.1B4.00.SAK.FK ISO 08-15 S1.1B4.00.SAM.FK (2 x 3 pcs) ISO 15-40 S1.1B4.00.SAB.FK ISO 45-80 S1.1B4.00.SAF.FK
	8 		S1.1B4.00.0AK.FK	
	10 		S1.1B4.00.0AL.FK	
	15 		S1.1B4.00.0AM.FK	
	20 		S1.1B4.00.0AN.FK	
	25 		S1.1B4.00.0AO.FK	
	30 		S1.1B4.00.0AP.FK	
	35 		S1.1B4.00.0AQ.FK	
	40 		S1.1B4.00.0AR.FK	
	45 		-	
	50 		-	
	55 		-	
	60 		-	
	70 		-	
	80 		-	
31 	6 	0.02 	S1.1B4.00.0AS.FK	ISO 6-25 S1.1B4.00.SAL.FK ISO 15-40 S1.1B4.00.SAC.FK ISO 45-80 S1.1B4.00.SAH.FK
	8 		S1.1B4.00.0AT.FK	
	10 		S1.1B4.00.0AU.FK	
	15 		S1.1B4.00.0AV.FK	
	20 		S1.1B4.00.0AW.FK	
	25 		S1.1B4.00.0AX.FK	
	30 		S1.1B4.00.0AY.FK	
	35 		S1.1B4.00.0AZ.FK	
	40 		S1.1B4.00.0BA.FK	
	45 		-	
	50 		-	
	55 		-	
	60 		-	
	70 		-	
	80 		-	



K-Files Flex



Length (mm)	ISO	Taper	Plastic Box 6 pcs SS	Assortment 6 pcs SS	Plastic Box 6 pcs NiTi	Assortment 6 pcs NiTi
21 	8 	0.02 	01.554.21.008.CG	-	-	-
	10 		01.554.21.010.CG	-	-	-
	15 		01.554.21.015.CG	ISO 15-40 01.554.21.S15.CG	01.754.21.015.CG	ISO 15-40 01.754.21.S15.CG
	20 		01.554.21.020.CG		01.754.21.020.CG	
	25 		01.554.21.025.CG		01.754.21.025.CG	
	30 		01.554.21.030.CG		01.754.21.030.CG	
	35 		01.554.21.035.CG		01.754.21.035.CG	
	40 		01.554.21.040.CG		01.754.21.040.CG	
25 	8 		01.554.25.008.CG	-	-	-
	10 		01.554.25.010.CG	ISO 15-40 01.554.25.S15.CG	01.754.25.015.CG	ISO 15-40 01.754.25.S15.CG
	15 		01.554.25.015.CG		01.754.25.020.CG	
	20 		01.554.25.020.CG		01.754.25.025.CG	
	25 		01.554.25.025.CG		01.754.25.030.CG	
	30 		01.554.25.030.CG		01.754.25.035.CG	
	35 		01.554.25.035.CG		01.754.25.040.CG	
31 	8 		01.554.31.008.CG	-	-	-
	10 		01.554.31.010.CG	ISO 15-40 01.554.31.S15.CG	-	-
	15 		01.554.31.015.CG		-	-
	20 		01.554.31.020.CG		-	-
	25 		01.554.31.025.CG		-	-
	30 		01.554.31.030.CG		-	-
	35 		01.554.31.035.CG		-	-
	40 		01.554.31.040.CG		-	-




H-Files



Length (mm)	ISO	Taper	Plastic Box 6 pcs	Assortment 6 pcs
21 	8 	0.02 	01.153.21.008.CG	-
	10 		01.153.21.010.CG	
	15 		01.153.21.015.CG	
	20 		01.153.21.020.CG	
	25 		01.153.21.025.CG	ISO 15-40 01.153.21.S15.CG
	30 		01.153.21.030.CG	
	35 		01.153.21.035.CG	
	40 		01.153.21.040.CG	
	45 		01.153.21.045.CG	
	50 		01.153.21.050.CG	
	55 		01.153.21.055.CG	
	60 		01.153.21.060.CG	
	70 		01.153.21.070.CG	
	80 		01.153.21.080.CG	
25 	8 		01.153.25.008.CG	-
	10 		01.153.25.010.CG	
	15 		01.153.25.015.CG	
	20 		01.153.25.020.CG	
	25 		01.153.25.025.CG	ISO 15-40 01.153.25.S15.CG
	30 		01.153.25.030.CG	
	35 		01.153.25.035.CG	
	40 		01.153.25.040.CG	
	45 		01.153.25.045.CG	
	50 		01.153.25.050.CG	
	55 		01.153.25.055.CG	
	60 		01.153.25.060.CG	
	70 		01.153.25.070.CG	
	80 		01.153.25.080.CG	
31 	8 		01.153.31.008.CG	-
	10 		01.153.31.010.CG	
	15 		01.153.31.015.CG	
	20 		01.153.31.020.CG	
	25 		01.153.31.025.CG	ISO 15-40 01.153.31.S15.CG
	30 		01.153.31.030.CG	
	35 		01.153.31.035.CG	
	40 		01.153.31.040.CG	
	45 		01.153.31.045.CG	
	50 		01.153.31.050.CG	
	55 		01.153.31.055.CG	
	60 		01.153.31.060.CG	
	70 		01.153.31.070.CG	
	80 		01.153.31.080.CG	




Reamers



Length (mm)	ISO	Taper	Plastic Box 6 pcs	Assortment 6 pcs
21	6	0.02	01.160.21.006.CG	ISO 6-25 01.160.21.S06.CG ISO 15-40 01.160.21.S15.CG ISO 45-80 01.160.21.S45.CG
	8		01.160.21.008.CG	
	10		01.160.21.010.CG	
	15		01.160.21.015.CG	
	20		01.160.21.020.CG	
	25		01.160.21.025.CG	
	30		01.160.21.030.CG	
	35		01.160.21.035.CG	
	40		01.160.21.040.CG	
	45		01.160.21.045.CG	
	50		01.160.21.050.CG	
	55		01.160.21.055.CG	
	60		01.160.21.060.CG	
	70		01.160.21.070.CG	
	80		01.160.21.080.CG	
25	6		01.160.25.006.CG	ISO 6-25 01.160.25.S06.CG ISO 15-40 01.160.25.S15.CG ISO 45-80 01.160.25.S45.CG
	8		01.160.25.008.CG	
	10		01.160.25.010.CG	
	15		01.160.25.015.CG	
	20		01.160.25.020.CG	
	25		01.160.25.025.CG	
	30		01.160.25.030.CG	
	35		01.160.25.035.CG	
	40		01.160.25.040.CG	
	45		01.160.25.045.CG	
	50		01.160.25.050.CG	
	55		01.160.25.055.CG	
31	6		01.160.31.006.CG	ISO 15-40 01.160.31.S15.CG ISO 45-80 01.160.31.S45.CG
	8		01.160.31.008.CG	
	10		01.160.31.010.CG	
	15		01.160.31.015.CG	
	20		01.160.31.020.CG	
	25		01.160.31.025.CG	
	30		01.160.31.030.CG	
	35		01.160.31.035.CG	
	40		01.160.31.040.CG	
	45		01.160.31.045.CG	
	50		01.160.31.050.CG	
	55		01.160.31.055.CG	
	60		01.160.31.060.CG	
	70		01.160.31.070.CG	
	80		01.160.31.080.CG	




F-Search



Length (mm)	ISO	Taper	Plastic Box 6 pcs
21	20	0.05	03.176.21.020.CG



Barbed Broaches




Length (mm)	ISO	Taper	Plastic Box 144 pcs*	Assortment 144 pcs**
20	25	-	03.050.31.025.CT	ISO 25-60 03.050.31.S25.CT
	30		03.050.31.030.CT	
	35		03.050.31.035.CT	
	40		03.050.31.040.CT	
	50		03.050.31.050.CT	
	60		03.050.31.060.CT	



* 12 boxes of 12 instruments
** 2 boxes of 12 instruments of each ISO reference

D. Cleaning

01
Irrigation



Finisher



NI Ti STERILE R

Length (mm)	ISO	Taper	Blister 3 pcs
21	25	0.00	S1.XB0.00.0AX.FK
25			S1.XB0.00.0AY.FK
31			S1.XB0.00.0AZ.FK



Finisher R



NI Ti STERILE R

Length (mm)	ISO	Taper	Blister 3 pcs
21	30	0.00	S1.XB0.00.0BA.FK
25			S1.XB0.00.0BB.FK
31			S1.XB0.00.0BC.FK



Dual Rinse HEDP




Name	Content	Ref.
Dual Rinse HEDP 10P	Cap jar of 10 capsules	08.660.00.001.FK
Dual Rinse HEDP 30P	Cap jar of 30 capsules	08.660.00.002.FK
Dual Rinse HEDP 100P	Cap jar of 100 capsules	08.660.00.003.FK



E. Obturation

01
Bioceramic obturation



OBTURATION


TotalFill® Range /
Gamme TotalFill®



Name	Content	Ref.
TotalFill® BC Sealer™	Syringe 2g + 15 TotalFill Tips	08.650.00.007.XX
TotalFill® BC Sealer™ HiFlow	Syringe 1.5g + 15 TotalFill Tips	08.650.00.008.XX
TotalFill® BC RRM™ Paste	Syringe 1g + 7 TotalFill Tips	08.650.00.003.XX
TotalFill® BC RRM™ Putty	Jar 2.5g	08.650.00.004.XX
TotalFill® BC RRM™ Fast Set Putty	Syringe 0.3g	08.650.00.006.XX
TotalFill® BC Tips™	15 Tips	08.650.00.002.XX
TotalFill® BC Pellets™	100 Pellets	08.650.00.005.XX




TotalFill® BC Points™ HiFlow



ISO	Taper	Ref.	Quantity	Assortment
15 ○	0.04 ■	08.650.04.015.HF	x 60 pcs	-
20 ●		08.650.04.020.HF		
25 ●		08.650.04.025.HF		
30 ●		08.650.04.030.HF		
35 ●		08.650.04.035.HF		
40 ●		08.650.04.040.HF		
45 ○		08.650.04.045.HF		
55 ●		08.650.04.055.HF		



TotalFill® BC Points™



ISO	Taper	Ref.	Quantity	Assortment
25 ●	0.02 ■	08.650.02.025.RE	x 100 pcs	ISO 15-60 08.650.02.S60.RB (x 300 pcs)
30 ●		08.650.02.030.RE		
35 ●		08.650.02.035.RE		
40 ●		08.650.02.040.RE		
45 ○		08.650.02.045.RE		
50 ●		08.650.02.050.RE		
55 ●		08.650.02.055.RE		
60 ●		08.650.02.060.RE		
15 ○	0.04 ■	08.650.04.015.RE	x 60 pcs	ISO 15-60 08.650.04.S60.RB (x 300 pcs)
20 ●		08.650.04.020.RE		
25 ●		08.650.04.025.RE		
30 ●		08.650.04.030.RE		
35 ●		08.650.04.035.RE		
40 ●		08.650.04.040.RE		
45 ○		08.650.04.045.RE		
50 ●		08.650.04.050.RE		
55 ●	0.06 ■	08.650.04.055.RE	x 60 pcs	ISO 15-50 08.650.06.S60.RB (x 240 pcs)
60 ●		08.650.04.060.RE		
70 ●		08.650.04.070.RE		
80 ●		08.650.04.080.RE		
15 ○		08.650.06.015.RE		
20 ●		08.650.06.020.RE		
25 ●		08.650.06.025.RE		
30 ●		08.650.06.030.RE		
35 ●		08.650.06.035.RE		
40 ●		08.650.06.040.RE		
45 ○		08.650.06.045.RE		
50 ●		08.650.06.050.RE		



BC Universal



Name	Content	Ref.
BC Universal Sealer	Syringe 2g + 20 Disposable tips + Syringe Holder	08.650.00.013.XX
BC Universal RRM	10 Capsules - 0.25g each	08.650.00.014.XX



02

Paper points & Gutta percha

XP-4D Absorbent Paper Point & Bio Gutta-Percha Cones



ISO	Taper	Ref. Gutta Percha	Ref. Paper Points	Quantity	Assortment Gutta Percha	Assortment Paper Point
20 	0.03v	08.600.03.015.RE	08.610.03.020.BC	x 60 pcs (Gutta Percha)	ISO 20-50 08.600.03.S25.RE (x 60 pcs)	ISO 20-50 08.610.03.S30.BC (x 100 pcs)
30 		08.600.03.025.RE	08.610.03.030.BC			
40 		08.600.03.035.RE	08.610.03.040.BC	x 100 pcs (Paper Points)		
50 		08.600.03.045.RE	08.610.03.050.BC			



Gutta Percha & Paper Points




ISO	Taper	Ref. Gutta Percha	Ref. Paper Points <i>Sterile</i>	Quantity	Assortment Gutta Percha	Assortment Paper Point
15	0.02	08.600.02.015.RE	08.610.02.015.BC	x 120 pcs (Gutta Percha) x 200 pcs (Paper Points)	ISO 15-40 08.600.02.S15.RE ISO 45-80 08.600.02.S45.RE (x 120 pcs)	ISO 15-40 08.610.02.S15.BC ISO 45-80 08.610.02.S45.BC (x 200 pcs)
20		08.600.02.020.RE	08.610.02.020.BC			
25		08.600.02.025.RE	08.610.02.025.BC			
30		08.600.02.030.RE	08.610.02.030.BC			
35		08.600.02.035.RE	08.610.02.035.BC			
40		08.600.02.040.RE	08.610.02.040.BC			
45		08.600.02.045.RE	08.610.02.045.BC			
50		08.600.02.050.RE	08.610.02.050.BC			
55		08.600.02.055.RE	08.610.02.055.BC			
60		08.600.02.060.RE	08.610.02.060.BC			
70	0.04	08.600.02.070.RE	08.610.02.070.BC	x 60 pcs (Gutta Percha) x 200 pcs (Paper Points)	ISO 15-40 08.600.04.S15.RE (x 60 pcs)	ISO 15-40 08.610.04.S15.BC (x 200 pcs)
80		08.600.02.080.RE	08.610.02.080.BC			
15		08.600.04.015.RE	08.610.04.015.BC			
20		08.600.04.020.RE	08.610.04.020.BC			
25		08.600.04.025.RE	08.610.04.025.BC			
30		08.600.04.030.RE	08.610.04.030.BC			
35	0.06	08.600.04.035.RE	08.610.04.035.BC	x 60 pcs (Gutta Percha) x 200 pcs (Paper Points)	ISO 15-40 08.600.06.S15.RE (x 60 pcs)	ISO 15-40 08.610.06.S15.BC (x 200 pcs)
40		08.600.04.040.RE	08.610.04.040.BC			
50		08.600.04.050.RE	08.610.04.050.BC			
15		08.600.06.015.RE	08.610.06.015.BC			
20		08.600.06.020.RE	08.610.06.020.BC			
25		08.600.06.025.RE	08.610.06.025.BC			
30	0.08	08.600.06.030.RE	08.610.06.030.BC	x 60 pcs (Gutta Percha) x 200 pcs (Paper Points)	ISO 15-40 08.600.08.S15.RE (x 60 pcs)	ISO 15-40 08.610.08.S15.BC (x 200 pcs)
35		08.600.06.035.RE	08.610.06.035.BC			
40	0.10	08.600.06.040.RE	08.610.06.040.BC	x 60 pcs (Gutta Percha)	ISO 15-40 08.600.10.S15.RE (x 60 pcs)	ISO 15-40 08.610.10.S15.BC (x 60 pcs)



03

Paste fillers


Lentulo & Spring Paste Fillers



Length (mm)	ISO	Plastic Box Lentulo 4 pcs	Plastic Box Spring 4 pcs	Assortment Lentulo 4 pcs	Assortment Spring 4 pcs
21	25 ●	02.171.21.025.GM	02.190.21.025.GM	ISO 25-40 02.171.21.S25.GM	ISO 25-40 02.190.21.S25.GM
	30 ●	02.171.21.030.GM	02.190.21.030.GM		
	35 ●	02.171.21.035.GM	02.190.21.035.GM		
	40 ●	02.171.21.040.GM	02.190.21.040.GM		
25	25 ●	02.171.25.025.GM	02.190.25.025.GM	ISO 25-40 02.171.25.S25.GM	ISO 25-40 02.190.25.S25.GM
	30 ●	02.171.25.030.GM	02.190.25.030.GM		
	35 ●	02.171.25.035.GM	02.190.25.035.GM		
	40 ●	02.171.25.040.GM	02.190.25.040.GM		
29	25 ●	02.171.29.025.GM	02.190.29.025.GM	ISO 25-40 02.171.29.S25.GM	ISO 25-40 02.190.29.S25.GM
	30 ●	02.171.29.030.GM	02.190.29.030.GM		
	35 ●	02.171.29.035.GM	02.190.29.035.GM		
	40 ●	02.171.29.040.GM	02.190.29.040.GM		



Sensipast




Length (mm)	ISO	Plastic Box 4 pcs	Assortment 4 pcs
21	25 ●	02.180.21.025.GS	ISO 25-40 02.180.21.S25.GS
	30 ●	02.180.21.030.GS	
	35 ●	02.180.21.035.GS	
	40 ●	02.180.21.040.GS	
25	25 ●	02.180.25.025.GS	ISO 25-40 02.180.25.S25.GS
	30 ●	02.180.25.030.GS	
	35 ●	02.180.25.035.GS	
	40 ●	02.180.25.040.GS	
29	25 ●	02.180.29.025.GS	ISO 25-40 02.180.29.S25.GS
	30 ●	02.180.29.030.GS	
	35 ●	02.180.29.035.GS	
	40 ●	02.180.29.040.GS	



04

Finger Spreaders & Pluggers

Spreaders



Length (mm)	ISO	Taper	Plastic Box 6 pcs SS	Assortment 6 pcs SS	Plastic Box 6 pcs NiTi	Assortment 6 pcs NiTi
21	15 ○	0.02	02.111.21.015.CG	ISO 15-40 02.111.21.S15.CG	02.311.21.015.CG	ISO 15-40 02.311.21.S15.CG
	20 ●		02.111.21.020.CG		02.311.21.020.CG	
	25 ●		02.111.21.025.CG		02.311.21.025.CG	
	30 ●		02.111.21.030.CG		02.311.21.030.CG	
	35 ●		02.111.21.035.CG		02.311.21.035.CG	
	40 ●		02.111.21.040.CG		02.311.21.040.CG	
25	20 ●	0.04	-	-	02.312.21.020.CG	-
	15 ○	0.02	02.111.25.015.CG	ISO 15-40 02.111.25.S15.CG	02.311.25.015.CG	ISO 15-40 02.311.25.S15.CG
	20 ●		02.111.25.020.CG		02.311.25.020.CG	
	25 ●		02.111.25.025.CG		02.311.25.025.CG	
	30 ●		02.111.25.030.CG		02.311.25.030.CG	
	35 ●		02.111.25.035.CG		02.311.25.035.CG	
	40 ●		02.111.25.040.CG		02.311.25.040.CG	




Pluggers



Length (mm)	ISO	Taper	Plastic Box 6 pcs SS	Assortment 6 pcs SS	Plastic Box 6 pcs NiTi	Assortment 6 pcs NiTi
21	15 ○	0.02	02.110.21.015.CG	ISO 15-40 02.110.21.S15.CG	02.310.21.015.CG	ISO 15-40 02.310.21.S15.CG
	20 ●		02.110.21.020.CG		02.310.21.020.CG	
	25 ●		02.110.21.025.CG		02.310.21.025.CG	
	30 ●		02.110.21.030.CG		02.310.21.030.CG	
	35 ●		02.110.21.035.CG		02.310.21.035.CG	
	40 ●		02.110.21.040.CG		02.310.21.040.CG	
25	15 ○	0.02	02.110.25.015.CG	ISO 15-40 02.110.25.S15.CG	02.310.25.015.CG	ISO 15-40 02.310.25.S15.CG
	20 ●		02.110.25.020.CG		02.310.25.020.CG	
	25 ●		02.110.25.025.CG		02.310.25.025.CG	
	30 ●		02.110.25.030.CG		02.310.25.030.CG	
	35 ●		02.110.25.035.CG		02.310.25.035.CG	
	40 ●		02.110.25.040.CG		02.310.25.040.CG	



F. Accessories



SMD



Color	Quantity	Perforation (ø, mm)	Ref.
Transparent 	12	No	06.030.03.010.TR
		0.5	06.030.05.010.TR
		0.9	06.030.09.010.TR
	100	No	06.030.03.100.TR
		0.5	06.030.05.100.TR
		0.9	06.030.09.100.TR



SMD dispensers



Content	Color	Perforation (ø, mm)	Ref.
1 Dispenser + 100 SMD	Transparent 	0.5	06.031.05.000.TR



Endo stops



Color	Quantity	Perforation	Ref.
Yellow 	12	No	06.010.00.010.JA
Red 			06.010.00.010.RO
Green 			06.010.00.010.VE
Black 			06.010.00.010.NO
Yellow 	100		06.010.00.100.JA
Red 			06.010.00.100.RO
Green 			06.010.00.100.VE
Black 			06.010.00.100.NO
Red 	12	Yes	06.010.01.010.RO
Blue 			06.010.01.010.BL
Green 			06.010.01.010.VE
Black 			06.010.01.010.NO
Red 			06.010.01.100.RO
Blue 			06.010.01.100.BL
Green 			06.010.01.100.VE
Black 			06.010.01.100.NO



Endo stands



Name	Color	Arch (mm)	Ref.
Endo stand Freestyle	Orange	12	08.096.01.000.OR



Pins



Color	Quantity	Dimension (mm)	Ref.
Transparent	100	1	05.300.00.101.TR
	50	2	05.300.00.052.TR



G. Restoration



Matrixes



Thickness (mm)	Quantity	N°	Ref. Premolar	N°	Ref. Molar
0.03	12	208	04.208.00.013.AC	206	04.206.00.013.AC
		209	04.209.00.013.AC	207	04.207.00.013.AC
		210	04.210.00.013.AC	309	04.309.00.013.AC
0.05		208	04.208.00.015.AC	206	04.206.00.015.AC
		209	04.209.00.015.AC	207	04.207.00.015.AC
		210	04.210.00.015.AC	309	04.309.00.015.AC
0.03	100	208	04.208.00.103.AC	206	04.206.00.103.AC
		209	04.209.00.103.AC	207	04.207.00.103.AC
		210	04.210.00.103.AC	309	04.309.00.103.AC
0.05		208	04.208.00.105.AC	206	04.206.00.105.AC
		209	04.209.00.105.AC	207	04.207.00.105.AC
		210	04.210.00.105.AC	309	04.309.00.105.AC



Matrixes



Thickness (mm)	Quantity	N°	Ref. Premolar	N°	Ref. Molar
0.05	12	203	04.203.00.015.AC	200	04.200.00.015.AC
		204	04.204.00.015.AC	201	04.201.00.015.AC
		205	04.205.00.015.AC	202	04.202.00.015.AC
	100	203	04.203.00.105.AC	-	-
		204	04.204.00.105.AC	201	04.201.00.105.AC
		205	04.205.00.105.AC	202	04.202.00.105.AC



Matrix Bands



Length (m)	Thickness (mm)	Width (mm)	Ref. 1 pcs
1	0.03	5	04.059.01.503.AC
		6	04.059.01.603.AC
		7	04.059.01.703.AC
	0.05	5	04.059.01.505.AC
		6	04.059.01.605.AC
		7	04.059.01.705.AC
5	0.03	5	04.059.05.503.AC
		6	04.059.05.603.AC
		7	04.059.05.703.AC
	0.05	5	04.059.05.505.AC
		6	04.059.05.605.AC
		7	04.059.05.705.AC
10	0.03	5	04.059.10.503.AC
		6	04.059.10.603.AC
		7	04.059.10.703.AC
	0.05	5	04.059.10.505.AC
		6	04.059.10.605.AC
		7	04.059.10.705.AC



H. Legend

Symbol	Description
	Continuous rotation
	Reciprocating motion (counterclockwise)
	Hand held instrument
	Sterilized by irradiation
	Non Sterile
	Nickel titanium
	Stainless steel
	Silicone
	Aluminium
	Plastic
	More information (FKG Website)
	Protocol card
	Tutorial video (YouTube)

Device name	CE marking	Manufacturer
Barbed Broaches D-Race Finisher Finisher R Gates Lentulo Peeso PreRace Race	CE 1639	FKG Dentaire Sàrl Le Crêt-du-Loche 4 2322 Le Crêt-du-Loche Switzerland
H-Files K-Files	CE/CE 1639	
Calcinable pins Endo stands Endo stops F-Search Matrix bands	CE	
Rooter® X4000 Rooter® X3000	CE 0197	Guilin Woodpecker Medical Instrument Co., Ltd. Information Industrial Park, Guilin National High-Tech Zone, Guilin, 541004 Guangxi, P.R. China
Rooter® Universal	CE 0197	Foshan COXO Medical Instrument Co., Ltd. No. 17, Guangming Ave., New Light Source Industrial Base, Nanhai National High- tech Zone, Foshan 528226, Guangdong P.R. China
Dual Rinse HEDP	CE	Medcem GmbH Bahnhofstrasse 12 CH-8570 Weinfelden
TotalFill® BC Sealer™ TotalFill® BC Sealer™ HiFlow TotalFill® BC RRM™ Paste TotalFill® BC RRM™ Putty TotalFill® BC RRM™ Fast Set Putty TotalFill® BC Tips™	CE 0413	Innovative BioCeramix Inc. 101-8218 North Fraser Way, Burnaby, British Colombia V3N OE9, Canada
XP-4D Bio-Gutta Percha Cones XP-4D Absorbent Paper Points TotalFill® BC Pellets™ TotalFill® BC Points™ HiFlow TotalFill® BC Points™	CE 0197	Sure Dent Corporation # 809, 52, Sagimakgol-ro, Jungwon-gu, Seongnam-si, Gyeonggi-do, 13210, Republic of Korea
BC Universal Sealer BC Universal RRM	CE 1639	Vericom Co., Ltd. 48, Toegyegongdan 1-gil, Chuncheon-Si, Gangwon-Do, 24427, Republic of Korea
Gutta Percha Paper Points	CE 1639	Meta Biomed Co., Ltd. 270, Osongsaengmyeong 1-ro, Osong-eup, Heungdeok-gu, Cheongju-si, Chungcheongbuk- do, Republic of Korea



FKG Dentaire Sàrl
Le Crêt-du-Loche 4
2322 Le Crêt-du-Loche
Switzerland
T +41 32 924 22 44

info@fkg.ch
www.fkg.ch

